




Complex bearing Manufacturer



NKIB5909 Bearing 2D drawings and 3D CAD models

INA NKIB5909 Complex Bearing

Bearing No. NKIB5909

Size	45x68x34 mm
Bore Diameter	45 mm
Outer Diameter	68 mm
Width	34 mm
d	45 mm
D	68 mm
B	34 mm
C	30 mm
F	52 mm
r_{\min}	0,6 mm
m	380 g / Weight
C_r	51000 N / Dynamic load rating (radial)
C_{0r}	73000 N / Static load rating (radial)
C_a	9600 N / Dynamic load rating (axial)
C_{0a}	21400 N / Static load rating (axial)
C_{ur}	12600 N / Fatigue limit load, radial
C_{ua}	950 N / Fatigue limit load, axial
n_G	8700 1/min / Limiting speed
Category	Thrust Roller Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A



Complex bearing Manufacturer

Weight / Kilogram	0.38
EAN	4012802432732
Product Group	B00234
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Double Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Long Description	45MM Bore 1; 45MM Bore 2; 68MM Outside Diameter; 34MM Height; Combination - Needle Roller and Thrust Ball Bearing; Double Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKIB5909
Weight / LBS	0.838
Bore 1	1.772 Inch 45 Millimeter
Outside Diameter	2.677 Inch 68 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter



Complex bearing Manufacturer

Bore 2	1.772 Inch 45 Millimeter
Height	1.339 Inch 34 Millimeter